

Key Features

- Easy-to-use tint level control of a window or group of windows
- Simply click up or down to adjust to desired tint level
- Push-button design provides intuitive user feedback
- LED provides visual feedback of target tint level
- Easily mounts to any wall with screws or adhesive pad
- No wiring required - powered by two standard coin cell batteries

Halio® Tint Selector


The Halio Tint Selector is an easy-to-use, wall-mounted, wireless communication device that enables local control of a pre-selected window or group of windows. Use the Tint Selector to choose one of nine tint levels - from clear to the darkest shade of cool gray. The nine tint level options are programmable to meet customer preferences.




INSTALLATION

- Install back plate using adhesive pad or screws and anchors
- Insert two CR2032 coin cell batteries to power up
- Attach Tint Selector to back plate
- Join secure wireless mesh network from Halio System Gateway

TINT SELECTOR FUNCTIONS



TINT SELECTOR TECHNICAL DRAWINGS



SPECIFICATIONS

Model	UC100
Color	White
Power Input	Battery Type: CR2032 Lithium-Ion Coin Cell (2 required) Typical Battery Life: 2 years Dependent on frequency of use and RF environment
Network Connectivity	Wireless Antenna: Internal Wireless Protocol: IEEE 802.15.4 wireless mesh networking, 2.4GHz Network Communication Protocol: IPv6 TCP/IP Point-to-Point Range: 100' 30m typical Wireless range highly dependent on building materials & RF environment
Embedded Software	Captures and communicates user input for tinting and provides feedback Automatic over-the-air updates
Product Dimensions	Size: 4.8" H x 1.3" W x 0.54" D 122mm H x 33mm W x 14mm D Weight: 0.2lb 91g
Environmental	Indoor Use Only Ambient Operating Temperature: 32°F to 104°F 0°C to 40°C Recommended Relative Humidity: 30% - 70% RH Storage Temperature: -4°F to 140°F -20°C to 60°C Electrostatic Discharge Protection: +20kV
Certifications	ETL, CE, FCC, IC, RoHS, WEEE

WARRANTY

- 5 years, limited

WHAT'S INCLUDED

- UC100 Tint Selector
- Adhesive pad (for mounting)